

दिनांक /Dated: 26-09-2025





# बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details		
बिड बंद होने की तारीख/समय /Bid End Date/Time	27-10-2025 15:00:00	
बिड खुलने की तारीख/समय /Bid Opening Date/Time	27-10-2025 15:30:00	
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)	
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Agriculture And Farmers Welfare	
विभाग का नाम/Department Name	Department Of Agricultural Research And Education (dare)	
संगठन का नाम/Organisation Name	Indian Council Of Agricultural Research (icar)	
कार्यालय का नाम/Office Name	National Instt Of Natural Fibre Engg N Tech	
कुल मात्रा/Total Quantity	32	
वस्तु श्रेणी /Item Category	Working Lab Table , Working Center Lab Table , Chemical Bottle Rack , File Cabinet , File Rack , Executive Sitting Counter	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Working Lab Table (Length: 6'-6''; Width: 2'-6''; Height: 3'-0"), Working Lab Table (Length: 5'-0"; Width: 2'-6''; Height: 3'-0"), Working Center Lab Table (Length: 5'-0"; Width: 2'-6''; Height: 3'-0"), Chemical Bottle Rack (Length: 5'-0"; Width: 1'-3"; Height: 3'-0"), File Cabinet (Length: 5'-0"; Width: 2'-6''; Height: 3'-0"), File Cabinet (Length: 6'-6''; Width: 2'-6''; Height: 3'-0"), File Rack (Length: 6'-0''; Width: 2'-6''; Height: 1'-3"), Executive Sitting Counter (Length: 6'-6''; Width: 2'-0''; Height: 2'-6'')	
	Searched String: Working Lab Table (Length: 6'-6''; Width: 2'-6''; Height: 3'-0")  6 - Mercaptopurine Tablets (V2), patient care mattresses, Package No. 6 Atal Tinkering Lab of Niti Aayog - Learning Management System, Laboratory Steel Furniture, XLPE Cable, Working Voltage from 66 kV up to and including 220 kV (V2) ISI Marked to IS 7098 (Part 3), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Manual Operated 66 kV, 800 A Isolators and with Solid Core Insulators (PSPCL), Laboratory Deep Freezer (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Labetalol Tablet  Searched String: Working Lab Table (Length: 5'-0"; Width: 2'-6"; Height: 3'-0")  Laboratory Steel Furniture, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, 5 - Aminosalicylic Acid (Mesalazine / Mesalaine) Tablets (V2), Package No. 5	

हिड किस्की के स्थाप कर किस के स्थाप के स्थाप कर किस के स्थाप के		Atol Tiplowing Lob of Niki Across Advance Bucketing 12
Result generated in GeMARPTS  GeMARPTS में कोजा गया परिणाम / Searched Result generated in GeMARPTS  Gemarted String: Working Center Lab Table (Length : 5'-0"; Width : 2'-6"; Height : 3'-0")  Bottle for Chemical Bottle Rack (Length : 5'-0"; Width : 2'-6"; Height : 3'-0")  Bottle for Chemical Bottle Rack (Length : 5'-0"; Width : 2'-6"; Height : 3'-0")  Bottle for Chemical Laboratory, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Laboratory Reagent rack, Ammonium Metavanadate, Storage Rack for Chemicals, Ethyl Acetate, Dextrose, Perchloric acid, Wooden Beading Patti  Searched String: File Cabinet (Length : 5'-0"; Width : 2'-6"; Height : 3'-0")  Modular Metal Drawer File Cabinet Pedestal, Fiberglass Matis:11551, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Wooden Beading Patti  Searched String: File Cabinet (Length : 5'-0"; Width : 2'-6"; Height : 3'-0")  Modular Metal Drawer File Cabinet Pedestal, Fiberglass Matis:11551, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Wooden Beading Patti  Searched String: File Cabinet (Length : 6'-6"; Width : 2'-6"; Height : 3'-0")  Modular Metal Drawer File Cabinet Pedestal, patient care mattresses, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, COLLET CHUCK, Endodontic Files, Mortury Cabinet, V27, FRP SECURITY CABIN, Correction Tape, Non - Smooth External Surface Pipe, Type B as per IS 13592  Searched String: Executive Sitting Counter (Length : 6'-6"; Width : 2'-6"; Height : 1'-3")  Servers (V2), Wax Candle as per IS 13592, Commercial UPVC Pipes for Potable Water Supplies as per IS 13592, Commercial UPVC Pipes, Balli / Wood Pole as per IS 876, Towel Clamp as per IS 7893  JiQuam & River are regerner siter cardinare cashing	बिड वि	Atal Tinkering Lab of Niti Aayog - Advance Prototyping Kit Tivi/Bid Details and Software - Robotics and AI, Anti TB Drugs -
i ; Width : 2'-6" ; Height : 3'-0")  GeMARPTS में खोजा नया परिणाम / Searched Result generated in GeMARPTS  Bottle for Chemical Laboratory, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Laboratory Reagent rack, Ammonium Metavanadate, Storage Rack for Chemicals, Ethyl Acetate, Dextrose, Perchloric acid, Wooden Beading Patti  Searched String: File Cabinet (Length : 5'-0"; Width : 2'-6"; Height : 3'-0")  Modular Metal Drawer File Cabinet Pedestal, Fiberglass Matis:11551, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Wooden Beading Patti  Searched String: File Cabinet Pedestal, Fiberglass Matis:11551, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Wooden Beading Patti  Searched String: File Cabinet Pedestal, Fiberglass Matis:11551, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Wooden Beading Patti  Searched String: File Cabinet Pedestal, Patient care mattresses, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, COILET CHUCk, Endodontic Files, Mortuary Cabinet (V2), FRP SECURITY CABIN, Correction Tape, Non - Smooth External Surface Pipe, Type B as per IS 16098, Unplasticized PVC Pipes for Soli and Waste Discharge System as per IS 13592  Searched String: File Rack (Length: 6'-0"; Width: 2'-6"; Height: 1'-3")  Servers (V2), Wax Candle as per IS 11359, Signal Isolator  Searched String: Executive Sitting Counter (Length: 6'-6"; Width: 2'-0"; Height: 2'-6")  patient care mattresses, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, COLLET CHUCk, FRP SECURITY CABIN, Correction Tape, Non - Smooth External Surface Pipe, Type B as per IS 13592, Commercial UPVC Pipes, Balli / Wood Pole as per IS 13592, Commercial UPVC Pipes, Balli / Wood Pole as per IS 13592, Commercial UPVC Pipes, Balli / Wood Pole as per IS 876, Towel Clamp as per IS 7893  ## Width: 2'-0"; Height: 2'-6"; Dipps for Soli and Waste Pipes, Balli / Wood Pole as per IS 876, Towel Clamp as per IS 7893  ## Width: 2'-0"; Height: 2'-0"; Pipes		Laboratory Deep Freezer (V2), Seamless, Welded and Heavy Cold worked Austenitic Stainless Steel Pipes, Anti TB Drugs -
by the buyer  Searched String: Chemical Bottle Rack (Length : 5'-0"; Width : 1'-3"; Height : 3'-0")  Bottle for Chemical Laboratory, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Laboratory Ragent rack. Ammonium Metavanadate, Storage Rack for Chemicals, Ethyl Acetate, Dextrose, Perchloric acid, Wooden Beading Patti  Searched String: File Cabinet (Length : 5'-0"; Width : 2'-6"; Height : 3'-0")  Modular Metal Drawer File Cabinet Pedestal, Fiberglass Mat-IS:11551, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Wooden Beading Pattil  Searched String: File Cabinet (Length : 6'-6"; Width : 2'-6"; Height : 3'-0")  Modular Metal Drawer File Cabinet Pedestal, patient care mattresses, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, COLLET CHUCK, Endodontic Files, Mortuary Cabinet (V2), FRP SECURITY CABIN, Correction Tape, Non - Smooth External Surface Pipe, Type B as per IS 13592  Searched String: File Rack (Length : 6'-0"; Width : 2'-6"; Height : 1'-3")  Servers (V2), Wax Candle as per IS 11359, Signal Isolator  Searched String: Executive Sitting Counter (Length : 6'-6"; Width : 2'-0"; Height : 2'-6")  patient care mattresses, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, COLLET CHUCK, FRP SECURITY CABIN, Correction Tape, Non - Smooth External Surface Pipe, Type B as per IS 13592, Commercial UPVC Pipes, Searched String: Executive Sitting Counter (Length : 6'-6"; Width : 2'-0"; Height : 2'-6")  patient care mattresses, Unplasticized PVC Pipes for Potable Water Supplies as per IS 13592, Commercial UPVC Pipes, Sellarly CABIN, Correction Tape, Non - Smooth External Surface Pipe, Type B as per IS 13698, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, Commercial UPVC Pipes, Salli / Wood Pole as per IS 876, Towel Clamp as per IS 7893  structure as Reverse as Per IS 13592, Commercial UPVC Pipes, Salli / Wood Pole as per IS 876, Towel Clamp as per IS 7893  structure as Reverse as Per IS 135		
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS  Bottle for Chemical Laboratory, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Laboratory Reagent rack, Ammonium Metavanadate, Storage Rack for Chemicals, Ethyl Acetate, Dextrose, Perchloric acid, Wooden Beading Patti  Searched String: File Cabinet (Length: 5'-0"; Width: 2'- 6"; Height: 3"-0")  Modular Metal Drawer File Cabinet Pedestal, Fiberglass Mat- IS:11551, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Wooden Beading Patti  Searched String: File Cabinet (Length: 6'-6"; Width: 2'- 6"; Height: 3"-0")  Modular Metal Drawer File Cabinet (Length: 6'-6"; Width: 2'- 6"; Height: 3"-0")  Modular Metal Drawer File Cabinet (Length: 6'-6"; Width: 2'- 6"; Height: 3"-0")  Modular Metal Drawer File Cabinet (Length: 6'-6"; Width: 2'- 6"; Height: 3"-0")  Modular Metal Drawer File Cabinet (Length: 6'-6"; Width: 2'- 6"; Height: 3"-0")  Modular Metal Drawer File Cabinet (Length: 6'-6"; Width: 2'- 6"; Height: 3"-0")  Modular Metal Drawer File Cabinet (Length: 6'-6"; Width: 2'-6")  Tape, Non - Smooth External Surface Pipe, Type B as per IS 13592  Searched String: File Rack (Length: 6'-0"; Width: 2'-6"; Height: 1'-3")  Servers (V2), Wax Candle as per IS 11359, Signal Isolator  Searched String: Executive Sitting Counter (Length: 6'-6"; Width: 2'-0"; Height: 2'-6"; Height: 1'-3")  Servers (V2), Wax Candle as per IS 11359, Signal Isolator  Searched String: Executive Sitting Counter (Length: 6'-6"; Width: 2'-0"; Height: 1'-3")  Servers (V2), Wax Candle as per IS 11359, Signal Isolator  Searched String: Executive Sitting Counter (Length: 6'-6"; Width: 2'-0"; Height: 1'-3")  Servers (V2), Wax Candle as per IS 11359, Commercial UPVC Pipes, Balli / Wood Pole as per IS 488, COLLET CHUCK, FRP  SECURITY CABIN, Correction Tape, Non - Smooth External Surface Pipe, Type B as per IS 16098, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, Commercial UPVC Pipes, Balli / Wood Po		1
Fence Fabric (V2) conforming to IS 2721, Laboratory Reagent rack, Ammonium Metavanadate, Storage Rack for Chemicals, Ethyl Acetate, Dextrose, Perchloric acid, Wooden Beading Patti Searched String: File Cabinet (Length: 5'-0"; Width: 2'- 6"; Height: 3'-0") Modular Metal Drawer File Cabinet Pedestal, Fiberglass Mat- IS:11551, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Wooden Beading Patti Searched String: File Cabinet (Length: 6'-6"; Width: 2'- 6"; Height: 3'-0") Modular Metal Drawer File Cabinet Pedestal, patient care mattresses, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, COLLET CHUCK, Endodontic Files, Mortuary Cabinet (V2), FRP SECURITY CABIN, Correction Tape, Non - Smooth External Surface Pipe, Type B as per IS 13592 Searched String: File Rack (Length: 6'-0"; Width: 2'-6"; Height: 1'-3") Servers (V2), Wax Candle as per IS 11359, Signal Isolator Searched String: Executive Sitting Counter (Length: 6'-6"; Width: 2'-0"; Height: 2'-6") patient care mattresses, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, COLLET CHUCK, FRP SECURITY CABIN, Correction Tape, Non - Smooth External Surface Pipe, Type B as per IS 13592, Commercial UPVC Pipes, Balli / Wood Pole as per IS 376, Towel Clamp as per IS 7893  ### SECURITY CABIN, Correction Tape, Non - Smooth External Surface Pipe, Type B as per IS 13592, Commercial UPVC Pipes, Balli / Wood Pole as per IS 876, Towel Clamp as per IS 7893  #### ABOQ Title  ### Custom BOQ Bid for Furniture  Categories selected for notification  ###################################		
6"; Height : 3' -0")  Modular Metal Drawer File Cabinet Pedestal, Fiberglass Mat- IS:11551, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Wooden Beading Patti  Searched String: File Cabinet (Length : 6'-6"; Width : 2'- 6"; Height : 3' -0")  Modular Metal Drawer File Cabinet Pedestal, patient care mattresses, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, COLLET CHUCK, Endodontic Files, Mortuary Cabinet (V2), FRP SECURITY CABIN, Correction Tape, Non - Smooth External Surface Pipe, Type B as per IS 16098, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592  Searched String: File Rack (Length : 6'-0"; Width : 2'-6"; Height : 1' -3")  Servers (V2), Wax Candle as per IS 1359, Signal Isolator  Searched String: Executive Sitting Counter (Length : 6'-6"; Width : 2'-0"; Height : 2'-6")  patient care mattresses, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, COLLET CHUCK, FRP SECURITY CABIN, Correction Tape, Non - Smooth External Surface Pipe, Type B as per IS 16098, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592. Commercial UPVC Pipes, Balli / Wood Pole as per IS 876, Towel Clamp as per IS 7893  3/// Winimum Average Annual Turnover of the  Past as न्यूनतम औसत वार्षिक दर्तओवर (3 वर्षों का) /// Minimum Average Annual Turnover of the /// // Minimum Average Annual Turnover of the		Fence Fabric (V2) conforming to IS 2721, Laboratory Reagent rack, Ammonium Metavanadate, Storage Rack for Chemicals, Ethyl Acetate, Dextrose, Perchloric acid, Wooden
IS:11551, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Wooden Beading Patti  Searched String: File Cabinet (Length: 6'-6''; Width: 2'-6''; Height: 3'-0'')  Modular Metal Drawer File Cabinet Pedestal, patient care mattresses, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, COLLET CHUCK, Endodontic Files, Mortuary Cabinet (V2), FRP SEQURITY CABIN, Correction Tape, Non - Smooth External Surface Pipe, Type B as per IS 16098, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592  Searched String: File Rack (Length: 6'-0''; Width: 2'-6''; Height: 1'-3'')  Servers (V2), Wax Candle as per IS 1359, Signal Isolator  Searched String: Executive Sitting Counter (Length: 6'-6''; Width: 2'-0''; Height: 2'-6'')  patient care mattresses, Unplasticized PVC Pipes for Potable Water Supplies as per IS 1985, COLLET CHUCK, FRP SECURITY CABIN, Correction Tape, Non - Smooth External Surface Pipe, Type B as per IS 16098, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 16098, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 16098, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 1876, Towel Clamp as per IS 7893  3futqual के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification  43किय का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)  //Minimum Average Annual Turnover of the		
6"; Height : 3'-0")  Modular Metal Drawer File Cabinet Pedestal, patient care mattresses, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, COLLET CHUCK, Endodontic Files, Mortuary Cabinet (V2), FRP SECURITY CABIN, Correction Tape, Non - Smooth External Surface Pipe, Type B as per IS 16098, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592  Searched String: File Rack (Length : 6'-0"; Width : 2'-6"; Height : 1'-3")  Servers (V2), Wax Candle as per IS 11359, Signal Isolator  Searched String: Executive Sitting Counter (Length : 6'-6"; Width : 2'-0"; Height : 2'-6")  patient care mattresses, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, COLLET CHUCK, FRP SECURITY CABIN, Correction Tape, Non - Smooth External Surface Pipe, Type B as per IS 16098, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, Commercial UPVC Pipes, Balli / Wood Pole as per IS 876, Towel Clamp as per IS 7893  shिस्चना के लिए चयनित प्रासंगिक श्रीणियाँ / Relevant Categories selected for notification  को ओक्यू शीर्षक /BOQ Title  Custom BOQ Bid for Furniture at ICAR NINFET Kolkata  Bas का न्यूनतम औसत वार्षिक टर्नाओवर (3 वर्षों का) //Minimum Average Annual Turnover of the		IS:11551, Galvanized Steel Chain Link Fence Fabric (V2)
mattresses, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, COLLET CHUCK, Endodontic Files, Mortuary Cabinet (V2), FRP SECURITY CABIN, Correction Tape, Non - Smooth External Surface Pipe, Type B as per IS 16098, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592  Searched String: File Rack (Length: 6'-0"; Width: 2'-6"; Height: 1'-3")  Servers (V2), Wax Candle as per IS 11359, Signal Isolator  Searched String: Executive Sitting Counter (Length: 6'-6"; Width: 2'-0"; Height: 2'-6")  patient care mattresses, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, COLLET CHUCK, FRP SECURITY CABIN, Correction Tape, Non - Smooth External Surface Pipe, Type B as per IS 16098, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, Commercial UPVC Pipes, Balli / Wood Pole as per IS 876, Towel Clamp as per IS 7893  #Retain & file चयनित प्रसंगिक श्रेणियाँ / Relevant Categories selected for notification  ### Although Pole		
Height : 1' -3") Servers (V2), Wax Candle as per IS 11359, Signal Isolator  Searched String: Executive Sitting Counter (Length : 6'-6'' ; Width : 2'-0"; Height : 2'-6")  patient care mattresses, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, COLLET CHUCK, FRP SECURITY CABIN, Correction Tape, Non - Smooth External Surface Pipe, Type B as per IS 16098, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, Commercial UPVC Pipes, Balli / Wood Pole as per IS 876, Towel Clamp as per IS 7893  अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification  बीओक्यू शीर्षक /BOQ Title  Custom BOQ Bid for Furniture at ICAR NINFET Kolkata  2 Lakh (s)		mattresses, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, COLLET CHUCK, Endodontic Files, Mortuary Cabinet (V2), FRP SECURITY CABIN, Correction Tape, Non - Smooth External Surface Pipe, Type B as per IS 16098, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for
Searched String: Executive Sitting Counter (Length : 6'-6"; Width : 2'-0"; Height : 2'-6")  patient care mattresses, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, COLLET CHUCK, FRP SECURITY CABIN, Correction Tape, Non - Smooth External Surface Pipe, Type B as per IS 16098, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, Commercial UPVC Pipes, Balli / Wood Pole as per IS 876, Towel Clamp as per IS 7893  अधिस्चन के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification  बीओक्यू शीर्षक /BOQ Title  Custom BOQ Bid for Furniture at ICAR NINFET Kolkata  बिडर का न्यूनतम औसत वार्षिक दर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the		
; Width : 2'-0" ; Height : 2'-6" )  patient care mattresses, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, COLLET CHUCK, FRP SECURITY CABIN, Correction Tape, Non - Smooth External Surface Pipe, Type B as per IS 16098, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, Commercial UPVC Pipes, Balli / Wood Pole as per IS 876, Towel Clamp as per IS 7893  अधिस्चना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification  4 अभेक्य शीर्षक /BOQ Title  Custom BOQ Bid for Furniture at ICAR NINFET Kolkata  @ Est का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the		Servers (V2), Wax Candle as per IS 11359, Signal Isolator
Water Supplies as per IS 4985, COLLET CHUCK, FRP SECURITY CABIN, Correction Tape, Non - Smooth External Surface Pipe, Type B as per IS 16098, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, Commercial UPVC Pipes, Balli / Wood Pole as per IS 876, Towel Clamp as per IS 7893  अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification  - Laboratory Steel Furniture  - Custom BOQ Bid for Furniture at ICAR NINFET Kolkata  - Ustom BOQ Bid for Furniture at ICAR NINFET Kolkata  - Ustom BOQ Bid for Furniture at ICAR NINFET Kolkata  - Ustom BOQ Bid for Furniture at ICAR NINFET Kolkata		
Categories selected for notification  बीओक्यू शीर्षक /BOQ Title  Custom BOQ Bid for Furniture at ICAR NINFET Kolkata  बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the		Water Supplies as per IS 4985, COLLET CHUCK, FRP SECURITY CABIN, Correction Tape, Non - Smooth External Surface Pipe, Type B as per IS 16098, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, Commercial UPVC Pipes,
Categories selected for notification  बीओक्यू शीर्षक /BOQ Title  Custom BOQ Bid for Furniture at ICAR NINFET Kolkata  बिडर का न्यूनतम औसत वार्षिक दर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the	अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant	Laboratory Steel Furniture
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the	1 "	- Laboratory Steer Furfilture
/Minimum Average Annual Turnover of the 2 Lakh (s)	बीओक्यू शीर्षक /BOQ Title	Custom BOQ Bid for Furniture at ICAR NINFET Kolkata
, minimum / troings / timuan ramover or time	बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	
		2 Lakh (s)

बिड विवरण/Bid Details		
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	4 Lakh (s)	
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)	
टर्नओवर के लिए एमएसई को छूट प्राप्त है / MSE Exemption for Turnover	Yes   Complete	
वर्षों के अनुभव के लिए स्टार्टअप को छूट प्राप्त है / Startup Exemption for Years Of Experience	Yes   Complete	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), OEM Authorization Certificate, OEM Annual Turnover, Additional Doc 1 (Requested in ATC), Additional Doc 2 (Requested in ATC), Additional Doc 3 (Requested in ATC), Additional Doc 4 (Requested in ATC), Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)	
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3	
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	10	
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1	
विगत प्रदर्शन /Past Performance	10 %	
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No	
बिड का प्रकार/ <b>Type of Bid</b> Two Packet Bid		
प्राथमिक उत्पाद श्रेणी/Primary product category	Working Center Lab Table	
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days	
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No	

बिड विवरण/Bid Details	
अनुमानित बिड मूल्य /Estimated Bid Value	490000
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
वितीय दस्तावेज की आवश्यकता है / Financial Document Required	Yes
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

### ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

# ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	14

(a).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance securityshould be in favour of Beneficiary, wherever it is applicable.

# लाभार्थी /Beneficiary :

DIRECTOR

National Instt Of Natural Fibre Engg n Tech, Department of Agricultural Research and Education (DARE), Indian Council of Agricultural Research (ICAR), Ministry of Agriculture and Farmers Welfare, 12 Regent Park, Kolkata - 700040

(Director Icar Ninfet)

### **UIN Number NCTGC2415P**

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

# एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	Yes
--	-----

# एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes

- 1. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover, shall upload the supporting documents to prove his eligibility for exemption.

  2. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
- 3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
- 5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 6. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023 OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
- 7. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents
- 8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and

for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

### Pre Bid Detail(s)

मूल्य भिन्नता खंड दस्तावेज़/Pre-Bid Date and Time	प्री-बिड स्थान/Pre-Bid Venue	
15-10-2025 11:00:00	ICAR-National Institute of Natural Fibre Engineering & Technology, 12 Regent park, Kolkata -700040	

# **Working Lab Table**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ratan Roy	700040,12, Regent Park	4	45

### **Working Lab Table**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

## परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ratan Roy	700040,12, Regent Park	6	45

# **Working Center Lab Table**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ratan Roy	700040,12, Regent Park	8	45

### **Chemical Bottle Rack**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

# परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ratan Roy	700040,12, Regent Park	4	45

# **File Cabinet**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

# परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ratan Roy	700040,12, Regent Park	2	45

### **File Cabinet**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

# परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ratan Roy	700040,12, Regent Park	4	45

### File Rack

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

# परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ratan Roy	700040,12, Regent Park	2	45

### **Executive Sitting Counter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

# परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ratan Roy	700040,12, Regent Park	2	45

# क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तै/Buyer Added Bid Specific Terms and Conditions

### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

#### 2. Generic

After award of contract – Successful Bidder shall have to get Detailed Design Drawings approved from buyer before starting fabrication. Successful Bidder shall submit Detailed Design Drawings for Buyer's approval, within 5 days of award of contract. Buyer shall, either approve the drawings or will provide complete list of modification required in the drawings within 5 days. Seller shall be required to ensure supply as per approved Drawings with modifications as communicated by Buyer. If there is delay from buyer side in approval of drawing– the delivery period shall be refixed without LD for the period of delay in approval of Drawing.

#### 3. Generic

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

### 4. Generic

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 5 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

#### 5. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

### 6. Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

#### 7. Generic

**End User Certificate:** Wherever Bidders are insisting for End User Certificate from the Buyer, same shall be provided in Buyer's standard format only.

### 8. Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

#### 9. Generic

Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

#### 10. Generic

**Manufacturer Authorization:** Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

#### 11. Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

#### 12. Generic

- 1. The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.
- 2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.
- 3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.

#### 13. Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

### 14. Scope of Supply

Scope of supply (Bid price to include all cost components): Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

#### 15. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

#### 16. Turnover

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant

periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

#### 17. **OEM**

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

#### 18. Service & Support

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

#### 19. Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

#### 20. Service & Support

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

#### 21. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

### 22. Past Project Experience

**Proof for Past Experience and Project Experience clause:** For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.

#### 23. Past Project Experience

The Bidder / OEM {themselves or through reseller(s)}, should have executed project for supply and installation / commissioning of same or similar Category Products during preceding 3 financial years (i.e. current year and three previous financial years) as on opening of bid, as per following criteria:

- (i) Single order of at least 35% of estimated bid value; or
- (ii) Two orders of at least 20% each of estimated bid value; or
- (iii) Three orders of at least 15% each of estimated bid value.

Satisfactory Performance certificate issued by respective Buyer Organization for the above Orders should be uploaded with bid. In case of bunch bids, the Category related to primary product having highest bid value should meet this criterion

#### 24. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

ICAR NINFET payable at KOLKATA

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

#### 25. Forms of EMD and PBG

Bidders can also submit the EMD with Banker's Cheque in favour of

ICAR NINFET payable at KOLKATA

Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

#### 26. Forms of EMD and PBG

Bidders can also submit the EMD with Payment online through RTGS  $\!\!\!/$  internet banking in Beneficiary name

ICAR NINFET
Account No.
11129265097
IFSC Code
SBIN0001719
Bank Name
STATE BANK OF INDIA
Branch address
63 NSC BOSE ROAD, KOLKATA-700040

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of online transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

#### 27. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

ICAR NINFET payable at KOLKATA

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

### 28. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name

ICAR NINFET
Account No.
11129265097
IFSC Code
SBIN0001719
Bank Name
STATE BANK OF INDIA
Branch address
63 NSC BOSE ROAD, KOLKATA-700040

. Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.

#### 29. Financial Criteria

**NET WORTH:** Net Worth of the OEM should be positive as per the last audited financial statement.

#### 30. Buyer Added Bid Specific ATC

Buyer uploaded ATC document Click here to view the file.

# अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for <u>attached categories</u>, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
- 15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
- 16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

यह बिंड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---